



PPX MINING CORP

Discovery and Development:
Tomorrow's Future

TSX.V:PPX, BVL:PPX, SSE:PPX
www.ppxmining.com

Corporate Presentation

October, 2017

Forward Looking Statements and Cautionary Disclaimer

Except for the statements of historical fact contained herein, the information presented constitutes “forward-looking statements” within the meaning of the Private Securities Litigation Reform Act of 1995. Such forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievement of the Company to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statements.

Although the Company has attempted to identify important factors that could cause actual results to differ materially, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such statements will prove to be accurate as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements.

Although PPX Mining Corp does not intend this presentation to be interpreted as a decision to commence commercial production, it should be noted that a production decision in the absence of a feasibility study of mineral reserves that demonstrates economic and technical viability has increased uncertainty and a higher risk of economic and technical failure associated with any production decision.

Cautionary Note to U.S. Investors Concerning Estimates of Measured, Indicated and Inferred Resources:

This presentation uses the terms “Measured”, “Indicated” and “Inferred” Resources. U.S. investors are advised that while such terms are recognized and required by Canadian regulations, the Securities and Exchange Commission does not recognize them. “Inferred Resources” have a great amount of uncertainty as to their existence, and great uncertainty as to their economic and legal feasibility. It cannot be assumed that all or any part of an inferred resource will ever be upgraded to a higher category. Under Canadian rules, estimates of Inferred Resources may not form the basis of feasibility or other economic studies. U.S. investors are also cautioned not to assume that all or any part of an Inferred Mineral Resource exists, or is economically or legally minable.

The technical information contained in this presentation has been reviewed and approved by Quentin Browne M.S.c., who is a Qualified Person as the term is defined in NI 43-101.

Investment Highlights

Dual pipelines for success:

Exploration: Extensive untested high grade gold and silver targets in a district-scale hydrothermal system in the heart of northern Peru gold belt

- Commenced 6,600 metre exploration and infill drilling campaign utilizing two diamond core rigs
- Testing three exploration target areas and infill along the Callanquitas Structure


Mine Development: Underground mine development underway

- Underground bulk sampling will validate resource model and develop cost profile for PFS
- Over 3,500 tonnes of bulk sample collected to date with an average grade 8.17 gpt Au, Au recoveries up to 90%
- On track to achieve 150 tpd bulk sampling rate by Q4 2017



La Libertad District: Northern Peru Top Tier Mining Jurisdiction

- #1** Gold Producer in Latin America
- #6** Gold Producer in the World
- #2** Silver Producer in the World
- #2** Copper Producer in the World
- #3** Zinc and Tin Producer in the World




Company Goals for 2017

- ❖ Accelerate bulk sampling at Mina Callanquitas, 3500 tonnes Q3 2017 ✓
- ❖ Organic growth through exploration, Underway ✓
- ❖ Advance processing plant permitting, H2 2017
- ❖ PFS to evaluate development options Q1 2018
- ❖ Continued to grow and nurture our social and community programs ✓
- ❖ Deliver long-term sustainable shareholder value ✓



World Class Gold Trend



- ❖ Igor is located in one of the richest gold districts in the world and shares the same geologic setting as nearby world-class gold deposits
- ❖ Multiple high grade targets with long strike lengths and large vertical range: significant tonnage potential
- ❖ Drilling to date focused on less than 10% of identified targets

IGOR: Exploration

- ❖ Regional geologic setting and associated porphyry system supports large scale target concept
- ❖ Detailed geologic mapping and over 3,000 surface and underground rock-chip and channel samples define drill targets
- ❖ Over 7,400 meters of mineralized structure are untested by drilling or have historic high grade drill intercepts that warrant follow-up
- ❖ Nearly every drill hole completed to date, on all targets, have hit significant gold and silver mineralization



IGOR: Tremendous Upside Potential



Elevation 3800 Metres

Domo

Test Mining and Bulk Sampling Program


Callanquitas

Tesoros


Village Igor

Elevation 3000 Metres

Total Land Package 1300 Hectares




Exploration Targets




Exploration: Callanquitas South Expansion High Priority Drill Target

- ❖ Near continuous outcrop shows that the Callanquitas structure and parallel structures have a total strike length of in excess of 2700 meters, untested by drilling
- ❖ Phase One program: Seven drill holes totaling 1,600 metres, results will guide further drilling
- ❖ Given the continuity of sample results on the surface and identical geologic setting, these structures are high priority targets.





Exploration: Domo Target

- ❖ Northeast-trending structures and related mantos host high grade gold and silver mineralization.
- ❖ Surface sampling includes over 25 high grade channel samples that range in grade from 16.0 to 50.4 gpt Au
- ❖ Historic drilling cut 2.8m grading 12.6 gpt Au, 303 gpt Ag (drill hole 5), mineralization is open at depth and along strike
- ❖ Three drill holes totaling 850 metres are scheduled for Phase One exploration program




Exploration: Tesoros Target




- ❖ Seventeen historic drill holes totaling 1769m were completed at Tesoros, an area of historic production dating to the Colonial era
- ❖ **Significant drill intercepts:**
 - ❖ 2.0m grading 8.0 gpt Au and 113 gpt Ag (drill hole 7A)
 - ❖ 75.2m grading 3.1 gpt Au and 108.5 gpt Ag (drill hole gd)
 - ❖ Intercepts correspond to high grade underground samples demonstrating continuity of gold and silver mineralization

Exploration: Tesoros Target


- ❖ Gold and silver mineralization are hosted by north-trending structures with thick zones of brecciation associated with porphyry dacite dikes
- ❖ Surface sampling includes over eleven high grade surface channel samples that range in grade from 15.1 to 22.3 gpt Au
- ❖ Geologic setting of southern Tesoros area identical to Shauindo; Large low-grade bulk minable target?
- ❖ Five drill holes totaling 1100 metres are planned for Phase One campaign targeting both high grade structures and lower grade bulk minable targets



Test Mining and Bulk Sampling Program on Igor 4



Igor 4: Test Mining and Bulk Sampling Underway





Igor 4: Test Mining and Bulk Sampling Results to Date

- ❖ Over 4,800 tonnes of bulk sample have been mined and processed with an average grade of 8.07 gpt Au, 1,475 tonnes in stockpile grading 5.2 gpt Au
- ❖ Gold recovery consistent averaging over 85%
- ❖ Ground support has been straightforward, split sets in ramps with additional timber support in stopes
- ❖ Visual grade control utilized, Callanquitas structure is very continuous, easy to follow



Igor 4: High Grade Underground Channel Sampling

- ❖ 22 channel samples average 18.7 gpt Au over a ~45m strike length, grade ranges from 4.1 to 50.6 gpt Au



- ❖ 22 channel samples average 152 gpt Ag over a ~35m strike length, grade ranges from 2 to 1122 gpt Ag

Igor Development Infrastructure




- ❖ Acquired site 2 km from mine for future processing facilities

- ❖ Upgraded road to access Malin processing plant, reducing transit time and cost



Conceptual Plan For Processing Plant



ITEM	COMPARATIVO ANTERIOR	COMPARATIVO ACTUAL
1	CAPTA DE AGUAS	RESERVOIRIO DE AGUA POTABLE
2	LABORATORIO QUIMICO-METALURGICO	LABORATORIO QUIMICO-METALURGICO
3	PLANTA DE CHANCADO Y ACOMODADO	PLANTA DE CHANCADO Y ACOMODADO
4	PLANTA DE URIBACHEN	PLANTA DE URIBACHEN
5	PLANTA DE AGUAS	PLANTA DE AGUAS
6	PLANTA DE AGUAS	PLANTA DE AGUAS
7	PLANTA DE AGUAS	PLANTA DE AGUAS
8	PLANTA DE AGUAS	PLANTA DE AGUAS
9	PLANTA DE AGUAS	PLANTA DE AGUAS
10	PLANTA DE AGUAS	PLANTA DE AGUAS
11	PLANTA DE AGUAS	PLANTA DE AGUAS
12	PLANTA DE AGUAS	PLANTA DE AGUAS
13	PLANTA DE AGUAS	PLANTA DE AGUAS
14	PLANTA DE AGUAS	PLANTA DE AGUAS
15	PLANTA DE AGUAS	PLANTA DE AGUAS
16	PLANTA DE AGUAS	PLANTA DE AGUAS
17	PLANTA DE AGUAS	PLANTA DE AGUAS
18	PLANTA DE AGUAS	PLANTA DE AGUAS
19	PLANTA DE AGUAS	PLANTA DE AGUAS
20	PLANTA DE AGUAS	PLANTA DE AGUAS
21	PLANTA DE AGUAS	PLANTA DE AGUAS
22	PLANTA DE AGUAS	PLANTA DE AGUAS
23	PLANTA DE AGUAS	PLANTA DE AGUAS
24	PLANTA DE AGUAS	PLANTA DE AGUAS
25	PLANTA DE AGUAS	PLANTA DE AGUAS
26	PLANTA DE AGUAS	PLANTA DE AGUAS
27	PLANTA DE AGUAS	PLANTA DE AGUAS
28	PLANTA DE AGUAS	PLANTA DE AGUAS
29	PLANTA DE AGUAS	PLANTA DE AGUAS
30	PLANTA DE AGUAS	PLANTA DE AGUAS

PROYECTO	PIP-MAJUNDO	FECHA	01
PROYECTO (GOR)	ARREGLO GENERAL - LAYOUT CONCEPTUAL	ESTADO	EN PROYECTO
INSTITUCION	INSTITUTO TECNOLÓGICO DE CHILE	ESCALA	1/2000
PROYECTO	PROYECTO (GOR)	FECHA	01
ESTADO	EN PROYECTO	ESTADO	EN PROYECTO
INSTITUCION	INSTITUTO TECNOLÓGICO DE CHILE	ESTADO	EN PROYECTO
PROYECTO	PROYECTO (GOR)	FECHA	01
ESTADO	EN PROYECTO	ESTADO	EN PROYECTO
INSTITUCION	INSTITUTO TECNOLÓGICO DE CHILE	ESTADO	EN PROYECTO

Excellent Infrastructure and Accessibility

Locator

- The Igor project is located 158 kilometers from the destination city of Trujillo. Second largest city in Peru, with over a million people.
- Trujillo has its own international airport and sea port for easy access.

Power

- PPX has grid power to camp, with the ability to upgrade for future processing facilities

Camp

- New buildings, stick frame construction, which includes: sleeping quarters for 70 workers, kitchen dining area and large mine development and administrative offices.

Work Force

- Access to an experienced labor force in the preeminent mining region of Peru. Current work force has supported exploration activities for six years



Trujillo



Camp



Work Force

Committed to our Community

- ❖ Economic development
- ❖ Sustainable programs
- ❖ Open communication
- ❖ Healthy & safe work environment
- ❖ Ethical conduct
- ❖ Respect for human rights



Commitment to our Community



Employment Opportunities:

- ❖ Long term employment for Callanquitas community
- ❖ Negotiating updated exploration and exploitation permits with community

Education:

- ❖ Growth through agricultural education, providing the community with seeds & cwi, and training for future success
- ❖ Expansion of education through funding experienced teachers for the community school



PPX Capital Structure



PPX.V	TSX.V
PPX	BVL
PPX	SSE

Toronto Stock Exchange
Venture

Bolsa de Valores: Peru

Santiago Stock Exchange

Total Shares Outstanding:

447.9 M
FD: 589.9 M

Market Capitalization:

Cdn\$38.1M
FD: Cdn\$50.1M

Ave. Trading Volume (TSX, BVL, SSE; 3 mos.):

>350,000 shares/day

Key Shareholders:

Peruvian Investors 27%
European Institutional Investors 17%
PPX Management and Board 7%
North American Institutional Investors 28%
Retail 21%

Experienced Team

Management:

Brian J. Maher
President, CEO and Director

Hector Paredes
Operations Manager

Meri Verli CFO

Corporate office:

880 – 580 Hornby Street
Vancouver, BC V6C 3B6
T: 604.806.0626 x.120
Direct: 604.639.3880

Board of Directors:

John Thomas
Florian Siegfried
Brian Maher
Brian Imrie
Felix Navarro – Grau Hurtado
John Menzies

Peru Office:

Sienna Minerals SAC:
Manuel de Falla #295 – Piso 4
San Borja,
Lima 41, Peru
T: +51 1 224 2421